

The **numspell** package

v1.8 (2026/01/08)

Tibor Tómacs

tomacs.tibor@gmail.com

1 Introduction

The **numspell** package spells out cardinal and ordinal integers up to 66 digits long.

The package supports British and American English, French, German, Hungarian, Italian, and Latin in its classical, medieval, modern, and ecclesiastical variants.* Number spelling is performed using the currently active language.

The **numspell** package requires the services of the **xstring** and **iflang** packages.

Load the package as usual, with

```
\usepackage{numspell}
```

2 Commands

```
\numspell[<zeros>]{<num>}
```

Spelling the cardinal number $n = \langle num \rangle \cdot 10^{\langle zeros \rangle}$, where $0 \leq n \leq 10^{66} - 1$. The default value of *<zeros>* is 0. For example

```
\numspell{12000} → twelve thousand
```

```
\numspell[3]{12} → twelve thousand
```

```
\numspell[6]{12} → twelve million
```

```
\numspell[63]{1} → one vigintillion
```

```
\thenumspell
```

The `\numspell` stores the result in this command. For example

```
\numspell{12000}; \thenumspell → twelve thousand; twelve thousand
```

```
\numspell{1}; \numspell{2}; \thenumspell → one; two; two
```

```
\numspellsave{<name>}
```

Creates `\thenumspell<name>` containing the current `\thenumspell`.

For example

*Thanks to Keno Wehr for the Latin language module.

```

\numspell{1};
\numspellsave{MyNum}
\numspell{2};
\thenumspell;
\thenumspellMyNum

```

one; two; two; two

\numspelldashspace{*<length>*}

In the number spelling, the spaces around the dashes are flexibility for the optimal hyphenation. Its value is 0pt plus *<length>*. The default value of *<length>* is 2pt. For example

```

\selectlanguage{magyar}
\numspell{1234567890123456789000}\\
\numspelldashspace{0pt}
\numspell{1234567890123456789000}

```

egytrilliárd-kétszázharmincnégytrillió-ötszázhatvanhétbilliárd-nyolcszázkilencvenbillió-egyszázhuszonhárommilliárd-négy százötvenhatmillió-hétszáznyolcvankilencezer
egytrilliárd-kétszázharmincnégytrillió-ötszázhatvanhétbilliárd-nyolcszázkilencvenbillió-egyszázhuszonhárommilliárd-négy százötvenhatmillió-hétszáznyolcvankilencezer

\numspell*[*<zeros>*]{*<num>*}

It works like `\numspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```

\numspell[<zeros>]{<num>}
\numspell*[<zeros>]{<num>}\thenumspell

```

For example

```

\numspell*{1}
\numspellsave{MyNum}
\numspell*{2}
\thenumspell;
\thenumspellMyNum

```

two; two

\Numspell[*<zeros>*]{*<num>*}

It works like `\numspell`, but the first letter will be capital. For example

```

\Numspell{12000} → Twelve thousand
\Numspell[3]{12} → Twelve thousand
\Numspell[6]{12} → Twelve million
\Numspell[63]{1} → One vigintillion

```

`\Numspell*[\langle zeros \rangle]{\langle num \rangle}`

It works like `\Numspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```
\Numspell[\langle zeros \rangle]{\langle num \rangle}
\Numspell*[\langle zeros \rangle]{\langle num \rangle}\thenumspell
```

For example

```
\Numspell*{1}
\numspellsave{MyNum}
\Numspell*{2}
\thenumspell;
\thenumspellMyNum
```

Two; Two

`\ordnumspell[\langle zeros \rangle]{\langle num \rangle}`

Spelling the ordinal number $n = \langle num \rangle \cdot 10^{\langle zeros \rangle}$, where $0 \leq n \leq 10^{66} - 1$. The default value of `\langle zeros \rangle` is 0. For example

```
\ordnumspell{12000} → twelve thousandth
\ordnumspell[3]{12} → twelve thousandth
\ordnumspell[6]{12} → twelve millionth
\ordnumspell[63]{1} → one vigintillionth
```

`\ordnumspell*[\langle zeros \rangle]{\langle num \rangle}`

It works like `\ordnumspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```
\ordnumspell[\langle zeros \rangle]{\langle num \rangle}
\ordnumspell*[\langle zeros \rangle]{\langle num \rangle}\thenumspell
```

For example

```
\ordnumspell*{1}
\numspellsave{MyNum}
\ordnumspell*{2}
\thenumspell;
\thenumspellMyNum
```

second; second

`\Ordnumspell[\langle zeros \rangle]{\langle num \rangle}`

It works like `\ordnumspell`, but the first letter will be capital. For example

```
\Ordnumspell{12000} → Twelve thousandth
\Ordnumspell[3]{12} → Twelve thousandth
\Ordnumspell[6]{12} → Twelve millionth
\Ordnumspell[63]{1} → One vigintillionth
```

`\Ordnumspell*[\langle zeros \rangle]{\langle num \rangle}`

It works like `\Ordnumspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```
\Ordnumspell[\langle zeros \rangle]{\langle num \rangle}
\Ordnumspell*[\langle zeros \rangle]{\langle num \rangle}\thenumspell
```

For example

```
\Ordnumspell*{1}
\numspellsave{MyNum}
\Ordnumspell*{2}
\thenumspell;
\thenumspellMyNum
```

Second; Second

3 Commands for English language

If the `english`, `british`, `ukenglish` or `UKenglish` language is active, then the number spelling will happen in British English. But it will be in American English, if the `american`, `usenglish` or `USenglish` language is active.

`\numspellUS`

Using British English, you can rechange the number spelling to American English by this command.

`\numspellGB`

Using American English, you can rechange the number spelling to British English by this command.

4 Commands for French language

The following commands only work, if `french` language is active.

`\numspellpremiere`

By default, `\ordnumspell{1}` → premier,
but `\numspellpremiere\ordnumspell{1}` → première

`\numspellpremier` (default)

```
\numspellpremiere\ordnumspell{1};
\numspellpremier\ordnumspell{1}
```

première ; premier

5 Commands for Hungarian language

The following commands only work, if magyar or hungarian language is active.

`\anumspell[⟨zeros⟩]{⟨num⟩}`

It works like `\numspell`, but the number spelling will start with Hungarian definite article. For example

```
\anumspell{1} → az egy  
\anumspell{2} → a kettő
```

`\anumspell*[⟨zeros⟩]{⟨num⟩}`

It works like `\anumspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```
\anumspell[⟨zeros⟩]{⟨num⟩}  
\anumspell*[⟨zeros⟩]{⟨num⟩}\thenumspell
```

For example

```
\anumspell*{1}  
\numspellsave{MyNum}  
\anumspell*{2}  
\thenumspell;  
\thenumspellMyNum
```

a kettő; a kettő

`\Anumspell[⟨zeros⟩]{⟨num⟩}`

It works like `\anumspell`, but the first letter will be capital.

`\Anumspell*[⟨zeros⟩]{⟨num⟩}`

It works like `\anumspell*`, but the first letter will be capital.

`\aordnumspell[⟨zeros⟩]{⟨num⟩}`

It works like `\ordnumspell`, but the number spelling will start with Hungarian definite article. For example

```
\aordnumspell{1} → az első  
\aordnumspell{2} → a második
```

`\aordnumspell*[⟨zeros⟩]{⟨num⟩}`

It works like `\aordnumspell`, but the number spelling will not be printed. In other words, the following two lines are equivalent:

```
\aordnumspell[⟨zeros⟩]{⟨num⟩}  
\aordnumspell*[⟨zeros⟩]{⟨num⟩}\thenumspell
```

For example

```

\ordnumspell*{1}
\numspellsave{MyNum}
\ordnumspell*{2}
\thenumspell;
\thenumspellMyNum

```

a második; a második

```
\Aordnumspell[⟨zeros⟩]{⟨num⟩}
```

It works like `\ordnumspell`, but the first letter will be capital.

```
\Aordnumspell*[⟨zeros⟩]{⟨num⟩}
```

It works like `\ordnumspell*`, but the first letter will be capital.

6 Commands for Italian language

The following commands only work, if `italian` language is active.

```
\numspellitmasculine (default)
```

The ordinal numbers will be printed in masculine form. For example

```
\ordnumspell{1} → primo
```

```
\numspellitfeminine
```

The ordinal numbers will be printed in feminine form. For example

```
\numspellitfeminine\ordnumspell{1};
```

```
\numspellitmasculine\ordnumspell{1}
```

prima; primo

7 Commands for the Latin language

The following commands only work, if one of the next languages is active: `latin`, `classicallatin`, `medievallatin`, or `ecclesiasticallatin`.

```
\numspellllamasculine (default)
```

All numbers will be printed in masculine form. For example

```
\numspell{1}, \numspell{2}, \numspell{200}, \ordnumspell{1}
```

unus, duo, ducenti, primus

```
\numspellllafeminine
```

All numbers will be printed in feminine form. For example

```
\numspellllafeminine
```

```
\numspell{1}, \numspell{2}, \numspell{200}, \ordnumspell{1}
```

una, duae, ducentae, prima

`\numspellllaneuter`

All numbers will be printed in neuter form. For example

`\numspellllaneuter`

`\numspell{1}`, `\numspell{2}`, `\numspell{200}`, `\ordnumspell{1}`

unum, duo, ducenta, primum

8 Examples

```
\documentclass{article}
\usepackage[T1]{fontenc}
\usepackage[magyar,italian,latin,ngerman,french,english]{babel}
\usepackage{numspell}
\usepackage[group-separator={,}]{siunitx}
\begin{document}
\def\mynum{123456789}
\noindent
In British English the spelling of \num{\mynum} is
\emph{\numspell{\mynum}}.
\par\smallskip\noindent
In American English the spelling of \num{\mynum} is
\foreignlanguage{american}{\em\numspell{\mynum}}.
\par\smallskip\noindent
In French the spelling of \num{\mynum} is
\foreignlanguage{french}{\em\numspell{\mynum}}.
\par\smallskip\noindent
In German the spelling of \num{\mynum} is
\foreignlanguage{ngerman}{\em\numspell{\mynum}}.
\par\smallskip\noindent
In Hungarian the spelling of \num{\mynum} is
\foreignlanguage{magyar}{\em\numspell{\mynum}}.
\par\smallskip\noindent
In Italian the spelling of \num{\mynum} is
\foreignlanguage{italian}{\em\numspell{\mynum}}.
\par\smallskip\noindent
In Latin the spelling of \num{\mynum} is
\foreignlanguage{latin}{\em\numspell{\mynum}}.
\end{document}
```

In British English the spelling of 123,456,789 is *one hundred and twenty-three million, four hundred and fifty-six thousand, seven hundred and eighty-nine*.

In American English the spelling of 123,456,789 is *one hundred twenty-three million, four hundred fifty-six thousand, seven hundred eighty-nine*.

In French the spelling of 123,456,789 is *cent vingt-trois millions quatre cent cinquante-six mille sept cent quatre-vingt-neuf*.

In German the spelling of 123,456,789 is *ehnhundertdreiundzwanzig Millionen vierhundertsechsfünfzigtausendsiebenhundertneunundachtzig*.

In Hungarian the spelling of 123,456,789 is *százhuszonhárommillió-négyszázötvenhatezer-hétszáznyolcvankilenc*.

In Italian the spelling of 123,456,789 is *centoventitré milioni quattrocentocinquantaseimila settecentottantanove*.

In Latin the spelling of 123,456,789 is *centum viginti tres milliones quadringenta quinquaginta sex milia septingenti undenonaginta*.

```
\documentclass{article}
\usepackage{numspell}
\newcounter{mycount}
\begin{document}
The
\makeatletter
\@whilenum\value{mycount}<51
\do{\ordnumspell{\themycount}\stepcounter{mycount},\ }\dots
\makeatother
\end{document}
```

The zeroth, first, second, third, fourth, fifth, sixth, seventh, eighth, ninth, tenth, eleventh, twelfth, thirteenth, fourteenth, fifteenth, sixteenth, seventeenth, eighteenth, nineteenth, twentieth, twenty-first, twenty-second, twenty-third, twenty-fourth, twenty-fifth, twenty-sixth, twenty-seventh, twenty-eighth, twenty-ninth, thirtieth, thirty-first, thirty-second, thirty-third, thirty-fourth, thirty-fifth, thirty-sixth, thirty-seventh, thirty-eighth, thirty-ninth, fortieth, forty-first, forty-second, forty-third, forty-fourth, forty-fifth, forty-sixth, forty-seventh, forty-eighth, forty-ninth, fiftieth, ...

```
\documentclass{article}
\usepackage{numspell}
\newcounter{mycount}
\def\themycount{\numspell{\arabic{mycount}}}}
\begin{document}
\Numspell{0},
\makeatletter
\@whilenum\value{mycount}<30
\do{\stepcounter{mycount}\themycount,\ }\dots
\makeatother
\end{document}
```

Nought, one, two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, fifteen, sixteen, seventeen, eighteen, nineteen, twenty, twenty-one, twenty-two, twenty-three, twenty-four, twenty-five, twenty-six, twenty-seven, twenty-eight, twenty-nine, thirty, ...